

Product Specifications Sheet









Deco Screen 3%

Specifications

Product Category: Decorative

Openness Factor: 3%

UV Blockage: Approximately 97%

Fabric Style: Rib Weave

Item #: 008553

36% fiberglass / 64% vinyl Composition:

Standard Packaging: Rolls of 30 ly (27 lm)

98" (250 cm) $12.21 \text{ oz } / \text{yd2} (414 \text{ g} / \text{m2}) \pm 5\%$ Weight:

Thickness: .023" (0.58 mm) ± 5%

Fenestration Data

		Fabric Properties					Fabric & Glass				
		Thermal			Optical		Commercial		Residential		
Color#	Color Name	Total Solar			Rv (%)	Tv (%)	SHGC % Improvement		SHGC		
		Rs (%)	As (%)	Ts (%)	IV (70)	1 (/6)	Interior	Exterior	Interior	Exterior	
00D249	Flagstone	23	71	6	23	5	24	84	0.54	0.10	
00D137	River Rock	33	60	7	35	6	29	84	0.49	0.10	
00D237	Hazelnut	13	83	4	12	4	16	84	0.59	0.10	
00D012	Parchment	64	20	16	67	12	50	82	0.33	0.14	
00D212	Tumbleweed	30	62	8	30	6	26	84	0.51	0.11	
00D112	Naturelle	54	33	13	57	9	42	82	0.38	0.13	
00D226	Harvest	15	79	6	14	5	18	84	0.58	0.11	

Width:

The fabric performance tests were conducted in accordance with ASTM E891 & ASTM E903-96: Total Solar Transmittance (Ts), Total Solar Reflectance (Rs), Total Solar Absorptance (As), Visible Reflectance (Rv), and Visible Transmission (Tv). Glass performance tests for Solar Heat Gain Coefficient (SHGC) were conducted using the Lawrence Berkeley National Laboratory Window 7.3 NFRC certified software. SHGC % improvement for commercial applications is based on a standard commercial glass makeup of Double Glazing 6 mm / ½" air / 6 mm with low E on surface #2. SHGC for residential applications is based on a default residential glass makeup of 3mm clear glass / 1/2" air / 3mm clear glass. Results for SHGC were obtained using the center of glass. Acoustical performance was tested in accordance with ASTM C423-09a: NRC is Noise Reduction Coefficient, SAA is Sound Absorption Average. For up-to-date test results, performance specifications and larger samples, contact the Mermet Technical Department at: www.mermetusa.com.

Fabrication Methods:

Cutting: cold, ultrasonic or crush

Welding: radio frequency, high frequency,

impulse, hot air, wedge

Fire Classifications:

NFPA 701-10 TM#1, California U.S. Title 19

CAN/ULC-S109-03 Small & Large Flame Test

Bacterial and Fungal Resistance: ASTM E2180, ASTM G21

Acoustical Performance:

RoHS - Lead Free

Environmental Benefits:

NRC: 0.35, SAA: 0.33

We recommend testing all cutting and welding methods prior to use to confirm they meet your individual fabrication specifications.

Care & Handling

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

5970 N. Main Street • Cowpens, SC 29330 Sales Department: Ph (866) 902-9647

info@mermetusa.com

02.17 v1 www.mermetusa.com



Product Specifications Sheet









Deco Screen 5%

Specifications

Product Category: Decorative

Openness Factor: 5%

UV Blockage: Approximately 95%

Fabric Style: Rib Weave

Item #: 008555

Composition: 36% fiberglass / 64% vinyl

Standard Packaging: Rolls of 30 ly (27 lm)

Width: 98" (250 cm)

Weight: $11.3 \text{ oz / yd2 } (385 \text{ g / m2}) \pm 5\%$

Thickness: .020" (0.52 mm) ± 5%

Fenestration Data

			Fabric Properties					Fabric & Glass			
		Thermal			Optical		Commercial		Residential		
Color#	Color Name	Total Solar			Rv (%)	Tv (%)	SHGC % Improvement		SHGC		
		Rs (%)	As (%)	Ts (%)	IV (70)	1 (/6)	Interior	Exterior	Interior	Exterior	
00D249	Flagstone	20	72	8	20	7	21	84	0.57	0.11	
00D137	River Rock	33	57	10	35	9	29	82	0.50	0.12	
00D237	Hazelnut	14	79	7	13	7	16	84	0.60	0.11	
00D012	Parchment	63	21	16	66	12	47	82	0.34	0.14	
00D212	Tumbleweed	29	61	10	29	8	24	84	0.53	0.12	
00D112	Naturelle	52	33	15	54	11	39	82	0.40	0.14	
00D226	Harvest	16	76	8	15	6	18	84	0.59	0.12	

The fabric performance tests were conducted in accordance with ASTM E891 & ASTM E903-96: Total Solar Transmittance (Ts), Total Solar Reflectance (Rs), Total Solar Absorptance (As), Visible Reflectance (Rv), and Visible Transmission (Tv). Glass performance tests for Solar Heat Gain Coefficient (SHGC) were conducted using the Lawrence Berkeley National Laboratory Window 7.3 NFRC certified software. SHGC % improvement for commercial applications is based on a standard commercial glass makeup of Double Glazing 6 mm / ½" air / 6 mm with low E on surface #2. SHGC for residential applications is based on a default residential glass makeup of 3mm clear glass / 1/2" air / 3mm clear glass. Results for SHGC were obtained using the center of glass. Acoustical performance was tested in accordance with ASTM C423-09a: NRC is Noise Reduction Coefficient, SAA is Sound Absorption Average. For up-to-date test results, performance specifications and larger samples, contact the Mermet Technical Department at: www.mermetusa.com.

Fabrication Methods:

Cutting: cold, ultrasonic or crush

Welding: radio frequency, high frequency,

impulse, hot air, wedge

Fire Classifications:

NFPA 701-10 TM#1, California U.S. Title 19

CAN/ULC-S109-03 Small & Large Flame Test

Bacterial and Fungal Resistance: ASTM E2180, ASTM G21 **Environmental Benefits:**

RoHS - Lead Free

Acoustical Performance: NRC: 0.10, SAA: 0.12

We recommend testing all cutting and welding methods prior to use to confirm they meet your individual fabrication specifications.

Care & Handling

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

5970 N. Main Street • Cowpens, SC 29330 Sales Department: Ph (866) 902-9647

info@mermetusa.com

www.mermetusa.com 02.17 v1